

	Type	Hits	Search Text	DBs
1	BRS	1516	(backup same lock)\	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1516	backup same lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2	(backup same lock) and ((transmit\$ or transfer\$) with (storage near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3892	((transmit\$ or transfer\$) with (storage near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	23	((transmit\$ or transfer\$) with (storage near2 addresses))) and (storage near2 extents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	8	((transmit\$ or transfer\$) with (storage near2 addresses))) and (storage near2 extents)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	10	(backup same lock) and (storage near2 extents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	8	((backup same lock) and (storage near2 extents)) and addresses	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	0	6751616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2	6272491.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	2	5612865.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2	6185601.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1297	(707/8 or 707/204 or 707/203 or 707/205) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	304	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	85	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	0	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN) and redistribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	3	((707/8 or 707/204 or 707/203 or 707/205) and backup) and lock) and SAN) and remap\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	205	(707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	((707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	44	((707/8 or 707/204 or 707/203 or 707/205) and (storage near2 map\$)) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	6611923.pn. and map\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	132	(transfer\$ with (storage near2 map))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	((transfer\$ with (storage near2 map))) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	0	((transfer\$ with (storage near2 map))) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	41	((transfer\$ with (storage near2 map))) and (map\$ with address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	2721	(transfer\$ with addresses) same map\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	38	(707/8 or 707/204 or 707/203 or 707/205) and ((transfer\$ with addresses) same map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
30	BRS	1	(707/8 or 707/204 or 707/203 or 707/205) and ((device near2 (ID or identifier)) same (start near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	18	((device near2 (ID or identifier)) same (start near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	(707/8 or 707/204 or 707/203 or 707/205) and (device near2 identifiers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	22	backup same (storage near2 identifier)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	1457	SAN and (map\$ with storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	220	(SAN and (map\$ with storage)) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	84	((SAN and (map\$ with storage)) and backup) and lock	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	82	((((SAN and (map\$ with storage)) and backup) and lock) and blocks	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	45	(((((SAN and (map\$ with storage)) and backup) and lock) and blocks) and identifiers	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	6434681.pn. and map	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	47	(storage near2 mapp\$) and (storage near2 identifiers)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	8	((storage near2 mapp\$) and (storage near2 identifiers)) and (start near2 blocks)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	7	(transfer\$ with (LUN near2 addresses))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	2159	transfer\$ with (storage near2 addresses)	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	140	(partition with file) with addresses	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	19	(707/8 or 707/204 or 707/203 or 707/205) and ((partition with file) with addresses)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	4714	storage near2 maps	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	19	(storage near2 maps) same (device near2 (identifier or ID))	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	6466	(optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	619	((optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	6	((((optical near2 disk) and (magnetic near2 disk) and (magnetic near2 tape)) and backup) and (lock near3 operation))	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	260	remap\$ with changes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	5875	707/8 or 707/204 or 707/203 or 707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	11	(remap\$ with changes) and (707/8 or 707/204 or 707/203 or 707/205)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	1	6185601.pn. and (read near2 operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	49	link near2 failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	11	(link near2 failover) and (I/O near2 operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	7	(link near2 failover) and (I/O near2 operation) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	366	(physical near2 addresses) with copy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
59	BRS	55	((physical near2 addresses) with copy) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	15	((((physical near2 addresses) with copy) and backup) and (transfer\$ with addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	6	((((physical near2 addresses) with copy) and backup) and (transmit\$ with addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	1449	(transfer\$ with (physical near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	172	((transfer\$ with (physical near2 addresses))) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	40	((((transfer\$ with (physical near2 addresses))) and backup) and (I/O near2 operations))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	55	mutalik.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	2	mutalik.in. and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	2	6360330.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	0	6360330.pn. and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	6360330.pn. and (transfer\$ with address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	2	6715036.pn. and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	95	(partition near3 file) with (addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	28	((partition near3 file) with (addresses)) and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1440	711/162	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	113	711/162 and (migrat\$ with (storage addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	3	711/162 and (migrat\$ with (storage near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	131	(storage near2 extents) and (storage near2 addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	41	((storage near2 extents) and (storage near2 addresses)) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	22	((((storage near2 extents) and (storage near2 addresses)) and backup) and I/O	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	8	(transfer\$ with (LUN near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	0	backup near2 opeation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	3354	backup near2 operation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	12	(backup near2 operation) and ((partition with data) with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	80	using near2 address near3 copy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	7	(using near2 address near3 copy) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	110	(map with (device near2 identifiers))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	1	((map with (device near2 identifiers))) and (map with (start near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	18	((map with (device near2 identifiers))) and (map with blocks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	934	Unix and (windows near2 "2000")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
89	BRS	160	(Unix and (windows near2 "2000")) and (windows near2 XP)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	140	((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	104	((((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)) and Linux	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	10	(((((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)) and Linux) and HP-UX	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3	(((((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)) and Linux) and HP-UX) and netware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	3	(((((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)) and Linux) and HP-UX) and netware and solaris	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	1	(((((Unix and (windows near2 "2000")) and (windows near2 XP)) and (Windows near2 NT)) and Linux) and HP-UX	USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	121	netware and solaris	USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	44	(netware and solaris) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	1610	707/205	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	60	707/205 and (pars\$ with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	47	(707/205 and (pars\$ with file)) and addresses	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	5287	(pars\$ with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	324	( (pars\$ with file)) and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	22	( (pars\$ with file)) and ((transfer\$ with addresses) same copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	1005	backup same maps	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	564	(backup same maps) and addresses	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	BRS	85	((backup same maps) and addresses) and (transfer\$ with addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	BRS	6	((((backup same maps) and addresses) and (transfer\$ with addresses)) and (I/O near2 operations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	BRS	1029	(transmit\$ with (physical near2 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
109	BRS	46	((transmit\$ with (physical near2 addresses))) and (file with (physical near3 addresses))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110	BRS	4	((((transmit\$ with (physical near2 addresses))) and (file with (physical near3 addresses))) and maps and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
111	BRS	30	((copy near3 (data or file)) with (physical near2 addresses)) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
112	BRS	39762	updat\$ same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
113	BRS	5684	(updat\$ same database) and SQL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
114	BRS	205	((updat\$ same database) and SQL) and (convert\$ with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
115	BRS	134	(copy near3 (data or file)) with (physical near2 addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
116	BRS	3	6401093.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
117	BRS	2	5680570.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
118	BRS	1	5680570.pn. and (physical near2 addresses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
119	BRS	1	6434681.pn. and (file near2 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	BRS	1	6434681.pn. and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	BRS	1	6434681.pn. and (operating near2 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
122	BRS	1	6434681.pn. and magnetic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
123	BRS	1	6401093.pn. and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
124	BRS	2252	storage near2 identifiers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
125	BRS	0	storage near2 device near2 identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
126	BRS	7	device near2 identifiers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
127	BRS	4	backup and ((storage near2 identifier) same (start\$ near2 blocks))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
128	BRS	177	transfer\$ with (file near2 map\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
129	BRS	5	(transfer\$ with (file near2 map\$)) same copy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
130	BRS	10	707/204 and ((file near2 maps) same backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
131	BRS	51	((file near2 maps) same backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
132	BRS	3	10/086597	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
133	BRS	1	(intermedia near3 (copy or backup))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
134	BRS	1349	707/204 and (copy\$ or backup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
135	BRS	75	(707/204 and (copy\$ or backup)) and (file near2 map)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
136	BRS	67	(707/204 and (copy\$ or backup)) and (file near2 map)	USPAT; EPO; JPO; DERWENT; IBM_TDB
137	BRS	0	09/997643 and map	USPAT; EPO; JPO; DERWENT; IBM_TDB
138	BRS	1	09/997643 and map	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
139	BRS	0	09/997643 and (map same identifiers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
140	BRS	0	09/997643 and (map same identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
141	BRS	1	09/997643 and (map same identifying)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
142	BRS	1	09/997643 and (map same identif\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
143	BRS	4	707/204 and ((file near2 map) with identifiers)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
144	BRS	6	707/204 and ((file near2 map) with write)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
145	BRS	1	707/204 and ((file near2 map) near2 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
146	BRS	20	((file near2 map) near3 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
147	BRS	2	(map with (I/O near2 operations)) same backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
148	BRS	17	(map with (I/O near2 operations)) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
149	BRS	0	(using near2 map) with (provide near2 operations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
150	BRS	1	(using near2 map) with (issue near2 operations)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
151	BRS	0	(using near2 map) with (issue near3 write)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
152	BRS	0	(using near2 map) with (provide near3 read)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
153	BRS	968	(using near2 map) with (read or wirtte or operation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
154	BRS	89	((using near2 map) with (read or wirtte or operation)) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
155	BRS	3	((using near2 map) with (read or wirtte or operation)) and backup) and 707/204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
156	BRS	315	(file near2 map) with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
157	BRS	66	((file near2 map) with server) and backup	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
158	BRS	31	((file near2 map) with server) and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	0	((file near2 map) with server) same (write/read near2 opeartion)	USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	0	((file near2 map) with server) same (read/write near2 opeartion)	USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	0	(file near2 map) with (read/write near2 opeartion)	USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	0	(file near2 map) same (read/write near2 opeartion)	USPAT; EPO; JPO; DERWENT; IBM_TDB
163	BRS	1	09/997643	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
164	BRS	1	09/997643 and (operating near2 system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
165	BRS	0	verthein.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
166	BRS	9	verthein.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
167	BRS	2	verthein.in. and (Solaris or Netware)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB